

PTFE & Silicone Coated Fiberglass Fabric & Belt

TDS of INDUSTRIAL SERIE YS9013A

Product	Product Category	Coating
PTFE GLASS FABRIC	INDUSTRIAL SERIE	PTFE

Properties	Metric	Imperial
Standard width Please ask for other widths	950, 1000, 1250 mm	37.5, 39.5, 49 inches
Thickness	0.13 mm	0.005 inches
Coated weight	205 g/m²	6 oz/yd²
PTFE content	49%	49%
Tensile strength	875 N/5cm	100 lbs/inches
Temperature resistance	-73 to +260 °C	-100 to 500 °F

ESONE® industrial PTFE coated Fabric is coated with medium level of PTFE content.

This industrial series will enable product has a cost effective performance. It is widely used in applications for heat-sealing, heat insulation, release sheets, belting and nonstick sheets for laminating.

Such as textile industry not limited to woven or non woven textile lamination. package industry like plastic bag manufacturing, heat sealing packing, heat shrink packaging, release sheet for heat press, non stick baking sheet and tray liners and so on.

Industrial series PTFE coated Fiberglass Fabric has competitive price and acceptable quality.















ESONE® is a registered trademark owned by
Jiangsu Esone New Material Co.,Ltd
Taixing Youngsun FL-Plastics Co.,Ltd
Western End of South Third Ring Road, Taixing, Jiangsu, China
Tel: 0523-8759020 E-Mail: sales@chinayoungsun.com